

This document provides instructions for upgrading business applications to latest version which are currently using ADSS Client SDK v3.8 or later. If business application is using ADSS Client SDK v3.7 or earlier than the only option is to re-build the business application using the latest version of ADSS Client SDK and follow the latest ADSS Server Guides. Ensure to take a backup of your business application directory/project before performing the suggested changes. See the ADSS Client SDK Release Notes for details of the updates available in this version of the Client SDK.

Upgrading to latest version of ADSS Client SDK

To upgrade a business application to use latest version of libraries below instructions should be followed:

1. Copy the latest version of required libraries from [ADSS Client SDK]/API/lib folder to business application library folder.
2. Recompile the business application with latest versions of libraries to ensure there is no compatibility issue. Also see the following sections for possible changes required in code/configurations when upgraded to current version.

Also see the following sections for possible changes required in code/configurations when upgrading from a specific version to current version:

Upgrading from ADSS Client SDK v5.0.0.x

Required updates for business application:

1. In **SigningRequest** class (Java & .NET Client SDK), constructors which takes XML document object as an argument has been removed. The constructors which take byte[] as an argument should be used in its place.
2. In **SigningRequest** and **PdfSigningRequest** classes (Java & .NET Client SDK), the default request mode has been changed from DSS to HTTP. When using HTTP request mode the Signing Service URL will be <http://machinename:8777/adss/signing/hdsi>. If business application has not specified any request mode in its current implementation, then business application must call the **setRequestMode(SigningRequest.DSS)** to continue using DSS request mode.
3. In **SignatureVerificationRequest** and **CertificateValidationRequest** classes (Java & .NET Client SDK), the default request mode has been changed from DSS to HTTP. When using HTTP request mode the Verification Service URL will be <http://machinename:8777/adss/verification/hsvi>. If business application has not specified any request mode in its current implementation, then business application must call the **setRequestMode(VerificationRequest.DSS)** to continue using DSS request mode.
4. You should recompile your project by removing all jar files prefixed with **asc_*** and **adss_*** from your project and include the **adss_client_api.jar** file only.



If business application changes to use HTTP request mode, then business application developer must read the API documentation of mentioned classes to make sure the methods currently being used are supported and return the expected results when HTTP mode is used.

Upgrading from ADSS Client SDK v4.8.1.x

FIELD_COORDS request header is updated to hold the empty signature field name along with X-Y coordinates. e.g. 10,10,100,200,1,Signature1.

Upgrading from ADSS Client SDK v4.7.6.x

You should recompile your project by removing all jar files prefixed with **asc_*** and **adss_*** from your project and include the **adss_client_api.jar** file only.

Upgrading from ADSS Client SDK v4.5.5.x

Required updates for business application:

1. In **SigningRequest** and **PdfSigningRequest** classes (Java & .NET Client SDK), the default request mode has been changed from XML to DSS. When using DSS request mode the Signing Service URL will be <http://machinename:8777/adss/signing/dss>. If business application has not specified any request mode in its current implementation, then business application must call the **setRequestMode(SigningRequest.XML)** to continue using XML request mode.
2. In **SignatureVerificationRequest** and **CertificateValidationRequest** classes (Java & .NET Client SDK), the default request mode has been changed from XML to DSS. When using DSS request mode the Verification Service URL will be <http://machinename:8777/adss/verification/dss>. If business application has not specified any request mode in its current implementation, then business application must call the **setRequestMode(VerificationRequest.XML)** to continue using XML request mode.
3. You should recompile your project by removing all jar files prefixed with **asc_*** and **adss_*** from your project and include the **adss_client_api.jar** file only.



If business application changes to use DSS request mode, then business application developer must read the API documentation of mentioned classes to make sure the methods currently being used are supported and return the expected results when DSS mode is used.

Upgrading from ADSS Client SDK v4.4.2.x

Required updates for business application:

1. In **CertificateValidity** class (.NET Client SDK), method **GetCrISignatureAlgorithmSutability** is no longer in use and has been renamed with **GetCrISignatureAlgorithmSuitability**. Replace all the calls of **GetCrISignatureAlgorithmSutability** with **GetCrISignatureAlgorithmSuitability** in business application.
2. In **CertificateValidity** class (.NET Client SDK), method **GetOcspSignatureAlgorithmSutability** is no longer in use and has been renamed with **GetOcspSignatureAlgorithmSuitability**. Replace all the calls of **GetOcspSignatureAlgorithmSutability** with **GetOcspSignatureAlgorithmSuitability** in business application.
3. In **CertificateValidity** class (Java Client SDK), method **getCrISignatureAlgorithmSutability** is no longer in use and has been renamed with **getCrISignatureAlgorithmSuitability**. Replace all the calls of **getCrISignatureAlgorithmSutability** with **getCrISignatureAlgorithmSuitability** in business application.
4. In **CertificateValidity** class (Java Client SDK), method **getOcspSignatureAlgorithmSutability** is no longer in use and has been renamed with **getOcspSignatureAlgorithmSuitability**. Replace all the calls of **getOcspSignatureAlgorithmSutability** with **getOcspSignatureAlgorithmSuitability** in business application.
5. In **ScvpResponse** class (Java Client SDK), method **getSignerCertChain** has been removed. The method **getSigningCertificates** of the parent class should be used in its place.
6. In **ScvpResponse** class (.NET Client SDK), method **GetSignerCertChain** has been removed. The method **GetSigningCertificates** of the parent class should be used in its place.

7. You should recompile your project by removing all jar files prefixed with **asc_*** and **adss_*** from your project and include the **adss_client_api.jar** file only.

Upgrading from ADSS Client SDK v4.3.x

Required updates for business application:

1. If business application is using .NET Client SDK then it should remove all references to **crypto.dll** because it is now covered in **itextsharp.dll**
2. In **Request** class (.NET Client SDK), methods `setRequestRetries`, `setSigningMode` and `setSoapVersion` are no longer in use and have been renamed with `SetRequestRetries`, `SetSigningMode` and `SetSoapVersion`. Replace all the calls of `setRequestRetries`, `setSigningMode`, `setSoapVersion` with `SetRequestRetries`, `SetSigningMode` and `SetSoapVersion` in business application.
3. In **CertificationRequest** class (.NET Client SDK), methods `setRequestMode`, `setCmcRequestMode` and `setIssuerDN` are no longer in use and have been renamed with `SetRequestMode`, `SetCmcRequestMode` and `SetIssuerDN`. Replace all the calls of `setRequestMode`, `setCmcRequestMode` and `setIssuerDN` with `SetRequestMode`, `SetCmcRequestMode` and `SetIssuerDN` in business application.
4. In **ScvpRequest** class (.NET Client SDK), method `addIntermediateCert` is no longer in use and has been renamed with `AddIntermediateCertificate`. Replace all the calls of `addIntermediateCert` with `AddIntermediateCertificate` in business application.
5. In **ScvpRequest** class (Java Client SDK), method `addIntermediateCert` is no longer in use and has been renamed with `addIntermediateCertificate`. Replace all the calls of `addIntermediateCert` with `addIntermediateCertificate` in business application.
6. In **ScvpResponse** class (.NET Client SDK), methods `GetBasicValidationAlgorithmOld` and `GetNameValidationAlgorithmOld` are no longer in use and have been renamed with `GetBasicValidationAlgorithmOID` and `GetNameValidationAlgorithmOID`. Replace all the calls of `GetBasicValidationAlgorithmOld` and `GetNameValidationAlgorithmOld` with `GetBasicValidationAlgorithmOID` and `GetNameValidationAlgorithmOID` in business application.
7. In **ScvpResponse** class (Java Client SDK), methods `getBasicValidationAlgorithmOld` and `getNameValidationAlgorithmOld` are no longer in use and have been renamed with `getBasicValidationAlgorithmOID` and `getNameValidationAlgorithmOID`. Replace all the calls of `getBasicValidationAlgorithmOld` and `getNameValidationAlgorithmOld` with `getBasicValidationAlgorithmOID`, `getNameValidationAlgorithmOID` in business application.
8. In **CompoundRequest** class (.NET Client SDK), method `addRequest` is no longer in use and has been renamed with `AddRequest`. Replace all the calls of `addRequest` with `AddRequest` in business application.
9. In **CompoundResult** class (.NET Client SDK), method `getResults` is no longer in use and has been renamed with `GetResults`. Replace all the calls of `getResults` with `GetResults` in business application.
10. In **ValidateRequest** class (.NET Client SDK), method `ValidateRequestType` is no longer in use and has been renamed with `GetValidateRequestType`. Replace all the calls of `ValidateRequestType` with `Get ValidateRequestType` in business application.
11. In **ValidateResult** class (.NET Client SDK), methods `GetCRL`, `GetOCSP`, `getCertificateQuality`, `getCspAssurance`, `getValidationScheme`, `getValidationModel`, `getRevocationTime`, `getRevocationReason`, `getValidationTime`, `isOcsNoCache`, `getErrorReason`, `getErrorDetail`, `getResponderName`, `getResponderURI`, `getResponderConfigurationVersion`, `getOcsCacheInterval` and `getValidateResultType` are no longer in use and have been renamed with `GetCRLs`, `GetOcsResponses`, `GetCertificateQuality`, `GetCspAssurance`, `GetValidationScheme`, `GetValidationModel`, `GetRevocationTime`, `GetRevocationReason`, `GetValidationTime`, `IsOcsNoCache`, `GetErrorReason`, `GetErrorDetail`, `GetResponderName`, `GetResponderURI`,

- GetResponderConfigurationVersion, GetOcspCacheInterval and GetValidateResultType. Replace all the calls of GetCRL, GetOCSP, getCertificateQuality, getCspAssurance, getValidationScheme, getValidationModel, getRevocationTime, getRevocationReason, getValidationTime, isOcspNoCache, getErrorReason, getErrorDetail, getResponderName, getResponderURI, getResponderConfigurationVersion, getOcspCacheInterval and getValidateResultType with GetCRLs, GetOcspResponses, GetCertificateQuality, GetCspAssurance, GetValidationScheme, GetValidationModel, GetRevocationTime, GetRevocationReason, GetValidationTime, IsOcspNoCache, GetErrorReason, GetErrorDetail, GetResponderName, GetResponderURI, GetResponderConfigurationVersion, GetOcspCacheInterval and GetValidateResultType in business application.
12. In **ValidateResult** class (Java Client SDK), method getValidationmodel is no longer in use and has been renamed with getValidationModel. Replace all the calls of getValidationmodel with getValidationModel in business application.
 13. In **SignatureVerificationRequest** class (.NET Client SDK), methods setReturnVerificationTimeInfo, setReturnSigningTimeInfo and setReturnSignerIdentity are no longer in use and have been renamed with SetReturnVerificationTimeInfo, SetReturnSigningTimeInfo and SetReturnSignerIdentity. Replace all the calls of setReturnVerificationTimeInfo, setReturnSigningTimeInfo and setReturnSignerIdentity with SetReturnVerificationTimeInfo, SetReturnSigningTimeInfo and SetReturnSignerIdentity in business application.
 14. In **CertificateValidity** class (.NET Client SDK), method SetCertIssuerSerialNo is no longer in use and has been renamed with GetCertIssuerSerialNo. Replace all the calls of SetCertIssuerSerialNo with GetCertIssuerSerialNo in business application.
 15. In **CertificatePathValidity** class (.NET Client SDK), methods GetCertificateValidity and SetCertificatePathValidity are no longer in use and have been renamed with GetCertValidity and SetCertPathValidity. Replace all the calls of GetCertificateValidity and SetCertificatePathValidity with GetCertValidity and SetCertPathValidity in business application.
 16. In **Result** class (.NET Client SDK), methods setResultMajor, getResultMajor, setResultMinor, getResultMinor, setResultMessage and getResultMessage are no longer in use and have been renamed with SetResultMajor, GetResultMajor, SetResultMinor, GetResultMinor, SetResultMessage and GetResultMessage. Replace all the calls of setResultMajor, getResultMajor, setResultMinor, getResultMinor, setResultMessage and getResultMessage with SetResultMajor, GetResultMajor, SetResultMinor, GetResultMinor, SetResultMessage and GetResultMessage in business application.
 17. In **IndividualReport** class (.NET Client SDK), methods GetSignatureProducitonPlaceCity, GetSignatureProducitonPlaceCountryName, GetSignatureProducitonPlacePostalCode and GetSignatureProducitonPlaceStateOrProvice are no longer in use and have been renamed with GetSignatureProductionPlaceCity, GetSignatureProductionPlaceCountryName, GetSignatureProductionPlacePostalCode and GetSignatureProductionPlaceStateOrProvice. Replace all the calls of GetSignatureProducitonPlaceCity, GetSignatureProducitonPlaceCountryName, GetSignatureProducitonPlacePostalCode and GetSignatureProducitonPlaceStateOrProvice with GetSignatureProductionPlaceCity, GetSignatureProductionPlaceCountryName, GetSignatureProductionPlacePostalCode and GetSignatureProductionPlaceStateOrProvice in business application.
 18. In **IndividualReport** class (Java Client SDK), methods getSignatureProducitonPlaceCity, getSignatureProducitonPlaceCountryName, getSignatureProducitonPlacePostalCode and, getSignatureProducitonPlaceStateOrProvice are no longer in use and have been renamed with getSignatureProductionPlaceCity, getSignatureProductionPlaceCountryName, getSignatureProductionPlacePostalCode and getSignatureProductionPlaceStateOrProvice. Replace all the calls of getSignatureProducitonPlaceCity, getSignatureProducitonPlaceCountryName, getSignatureProducitonPlacePostalCode and getSignatureProducitonPlaceStateOrProvice with getSignatureProductionPlaceCity, getSignatureProductionPlaceCountryName, getSignatureProductionPlacePostalCode and getSignatureProductionPlaceStateOrProvice in business application.

19. In **CertificateValidity** class (.NET Client SDK), method GetCrlSignatureAlgorithmSutability is no longer in use and has been renamed with GetCrlSignatureAlgorithmSuitability. Replace all the calls of GetCrlSignatureAlgorithmSutability with GetCrlSignatureAlgorithmSuitability in business application.
20. In **CertificateValidity** class (.NET Client SDK), method GetOcspSignatureAlgorithmSutability is no longer in use and has been renamed with GetOcspSignatureAlgorithmSuitability. Replace all the calls of GetOcspSignatureAlgorithmSutability with GetOcspSignatureAlgorithmSuitability in business application.
21. In **CertificateValidity** class (Java Client SDK), method getCrlSignatureAlgorithmSutability is no longer in use and has been renamed with getCrlSignatureAlgorithmSuitability. Replace all the calls of getCrlSignatureAlgorithmSutability with getCrlSignatureAlgorithmSuitability in business application.
22. In **CertificateValidity** class (Java Client SDK), method getOcspSignatureAlgorithmSutability is no longer in use and has been renamed with getOcspSignatureAlgorithmSuitability. Replace all the calls of getOcspSignatureAlgorithmSutability with getOcspSignatureAlgorithmSuitability in business application.
23. In **ScvpResponse** class (Java Client SDK), method getSignerCertChain has been removed. The method getSigningCertificates of the parent class should be used in its place.
24. In **ScvpResponse** class (.NET Client SDK), method GetSignerCertChain has been removed. The method GetSigningCertificates of the parent class should be used in its place.
25. You should recompile your project by removing all jar files prefixed with **asc_*** and **adss_*** from your project and include the **adss_client_api.jar** file only.

Upgrading from ADSS Client SDK v4.1.x or v4.2.x

Required updates for business application:

1. For all **Response** classes, the use of method isSuccessfull() is deprecated/obsolete because of a typo in method name. A new method named isSuccessful() is introduced for all Response classes in the current version. It is recommended to use new method in existing and new developments.
2. If business application is using .NET Client SDK then it should remove all references to **crypto.dll** because it is now covered in **itextsharp.dll**
3. In **Request** class (.NET Client SDK), methods setRequestRetries, setSigningMode and setSoapVersion are no longer in use and have been renamed with SetRequestRetries, SetSigningMode and SetSoapVersion. Replace all the calls of setRequestRetries, setSigningMode, setSoapVersion with SetRequestRetries, SetSigningMode and SetSoapVersion in business application.
4. In **CertificationRequest** class (.NET Client SDK), methods setRequestMode, setCmcRequestMode and setIssuerDN are no longer in use and have been renamed with SetRequestMode, SetCmcRequestMode and SetIssuerDN. Replace all the calls of setRequestMode, setCmcRequestMode and setIssuerDN with SetRequestMode, SetCmcRequestMode and SetIssuerDN in business application.
5. In **ScvpRequest** class (.NET Client SDK), method addIntermediateCert is no longer in use and has been renamed with AddIntermediateCertificate. Replace all the calls of addIntermediateCert with AddIntermediateCertificate in business application.
6. In **ScvpRequest** class (Java Client SDK), method addIntermediateCert is no longer in use and has been renamed with addIntermediateCertificate. Replace all the calls of addIntermediateCert with addIntermediateCertificate in business application.
7. In **ScvpResponse** class (.NET Client SDK), methods GetBasicValidationAlgorithmOld and GetNameValidationAlgorithmOld are no longer in use and have been renamed with

- GetBasicValidationAlgorithmOID and GetNameValidationAlgorithmOID. Replace all the calls of GetBasicValidationAlgorithmOID and GetBasicValidationAlgorithmOld with GetBasicValidationAlgorithmOID and GetNameValidationAlgorithmOID in business application.
8. In **ScvpResponse** class (Java Client SDK), methods getBasicValidationAlgorithmOld and getNameValidationAlgorithmOld are no longer in use and have been renamed with getBasicValidationAlgorithmOID and getNameValidationAlgorithmOID. Replace all the calls of getBasicValidationAlgorithmOld and getBasicValidationAlgorithmOld with getBasicValidationAlgorithmOID, getNameValidationAlgorithmOID in business application.
 9. In **CompoundRequest** class (.NET Client SDK), method addRequest is no longer in use and has been renamed with AddRequest. Replace all the calls of addRequest with AddRequest in business application.
 10. In **CompoundResult** class (.NET Client SDK), method getResults is no longer in use and has been renamed with GetResults. Replace all the calls of getResults with GetResults in business application.
 11. In **ValidateRequest** class (.NET Client SDK), method ValidateRequestType is no longer in use and has been renamed with GetValidateRequestType. Replace all the calls of ValidateRequestType with Get ValidateRequestType in business application.
 12. In **ValidateResult** class (.NET Client SDK), methods GetCRL, GetOCSP, getCertificateQuality, getCspAssurance, getValidationScheme, getValidationModel, getRevocationTime, getRevocationReason, getValidationTime, isOcspNoCache, getErrorReason, getErrorDetail, getResponderName, getResponderURI, getResponderConfigurationVersion, getOcspCacheInterval and getValidateResultType are no longer in use and have been renamed with GetCRLs, GetOcspResponses, GetCertificateQuality, GetCspAssurance, GetValidationScheme, GetValidationModel, GetRevocationTime, GetRevocationReason, GetValidationTime, IsOcspNoCache, GetErrorReason, GetErrorDetail, GetResponderName, GetResponderURI, GetResponderConfigurationVersion, GetOcspCacheInterval and GetValidateResultType. Replace all the calls of GetCRL, GetOCSP, getCertificateQuality, getCspAssurance, getValidationScheme, getValidationModel, getRevocationTime, getRevocationReason, getValidationTime, isOcspNoCache, getErrorReason, getErrorDetail, getResponderName, getResponderURI, getResponderConfigurationVersion, getOcspCacheInterval and getValidateResultType with GetCRLs, GetOcspResponses, GetCertificateQuality, GetCspAssurance, GetValidationScheme, GetValidationModel, GetRevocationTime, GetRevocationReason, GetValidationTime, IsOcspNoCache, GetErrorReason, GetErrorDetail, GetResponderName, GetResponderURI, GetResponderConfigurationVersion, GetOcspCacheInterval and GetValidateResultType in business application.
 13. In **ValidateResult** class (Java Client SDK), method getValidationmodel is no longer in use and has been renamed with getValidationModel. Replace all the calls of getValidationmodel with getValidationModel in business application.
 14. In **SignatureVerificationRequest** class (.NET Client SDK), methods setReturnVerificationTimeInfo, setReturnSigningTimeInfo and setReturnSignerIdentity are no longer in use and have been renamed with SetReturnVerificationTimeInfo, SetReturnSigningTimeInfo and SetReturnSignerIdentity. Replace all the calls of setReturnVerificationTimeInfo, setReturnSigningTimeInfo and setReturnSignerIdentity with SetReturnVerificationTimeInfo, SetReturnSigningTimeInfo and SetReturnSignerIdentity in business application.
 15. In **CertificateValidity** class (.NET Client SDK), method SetCertIssuerSerialNo is no longer in use and has been renamed with GetCertIssuerSerialNo. Replace all the calls of SetCertIssuerSerialNo with GetCertIssuerSerialNo in business application.
 16. In **CertificatePathValidity** class (.NET Client SDK), methods GetCertificateValidity and SetCertificatePathValidity are no longer in use and have been renamed with GetCertValidity and SetCertPathValidity. Replace all the calls of GetCertificateValidity and SetCertificatePathValidity with GetCertValidity and SetCertPathValidity in business application.

17. In **Result** class (.NET Client SDK), methods `setResultMajor`, `getResultMajor`, `setResultMinor`, `getResultMinor`, `setResultMessage` and `getResultMessage` are no longer in use and have been renamed with `SetResultMajor`, `GetResultMajor`, `SetResultMinor`, `GetResultMinor`, `SetResultMessage` and `GetResultMessage`. Replace all the calls of `setResultMajor`, `getResultMajor`, `setResultMinor`, `getResultMinor`, `setResultMessage` and `getResultMessage` with `SetResultMajor`, `GetResultMajor`, `SetResultMinor`, `GetResultMinor`, `SetResultMessage` and `GetResultMessage` in business application.
18. In **IndividualReport** class (.NET Client SDK), methods `GetSignatureProducitonPlaceCity`, `GetSignatureProducitonPlaceCountryName`, `GetSignatureProducitonPlacePostalCode` and `GetSignatureProducitonPlaceStateOrProvice` are no longer in use and have been renamed with `GetSignatureProductionPlaceCity`, `GetSignatureProductionPlaceCountryName`, `GetSignatureProductionPlacePostalCode` and `GetSignatureProductionPlaceStateOrProvice`. Replace all the calls of `GetSignatureProducitonPlaceCity`, `GetSignatureProducitonPlaceCountryName`, `GetSignatureProducitonPlacePostalCode` and `GetSignatureProducitonPlaceStateOrProvice` with `GetSignatureProductionPlaceCity`, `GetSignatureProductionPlaceCountryName`, `GetSignatureProductionPlacePostalCode` and `GetSignatureProductionPlaceStateOrProvice` in business application.
19. In **IndividualReport** class (Java Client SDK), methods `getSignatureProducitonPlaceCity`, `getSignatureProducitonPlaceCountryName`, `getSignatureProducitonPlacePostalCode` and `getSignatureProducitonPlaceStateOrProvice` are no longer in use and have been renamed with `getSignatureProductionPlaceCity`, `getSignatureProductionPlaceCountryName`, `getSignatureProductionPlacePostalCode` and `getSignatureProductionPlaceStateOrProvice`. Replace all the calls of `getSignatureProducitonPlaceCity`, `getSignatureProducitonPlaceCountryName`, `getSignatureProducitonPlacePostalCode` and `getSignatureProducitonPlaceStateOrProvice` with `getSignatureProductionPlaceCity`, `getSignatureProductionPlaceCountryName`, `getSignatureProductionPlacePostalCode` and `getSignatureProductionPlaceStateOrProvice` in business application.
20. In **CertificateValidity** class (.NET Client SDK), method `GetCrlSignatureAlgorithmSutability` is no longer in use and has been renamed with `GetCrlSignatureAlgorithmSuitability`. Replace all the calls of `GetCrlSignatureAlgorithmSutability` with `GetCrlSignatureAlgorithmSuitability` in business application.
21. In **CertificateValidity** class (.NET Client SDK), method `GetOcspSignatureAlgorithmSutability` is no longer in use and has been renamed with `GetOcspSignatureAlgorithmSuitability`. Replace all the calls of `GetOcspSignatureAlgorithmSutability` with `GetOcspSignatureAlgorithmSuitability` in business application.
22. In **CertificateValidity** class (Java Client SDK), method `getCrlSignatureAlgorithmSutability` is no longer in use and has been renamed with `getCrlSignatureAlgorithmSuitability`. Replace all the calls of `getCrlSignatureAlgorithmSutability` with `getCrlSignatureAlgorithmSuitability` in business application.
23. In **CertificateValidity** class (Java Client SDK), method `getOcspSignatureAlgorithmSutability` is no longer in use and has been renamed with `getOcspSignatureAlgorithmSuitability`. Replace all the calls of `getOcspSignatureAlgorithmSutability` with `getOcspSignatureAlgorithmSuitability` in business application.
24. In **ScvpResponse** class (Java Client SDK), method `getSignerCertChain` has been removed. The method `getSigningCertificates` of the parent class should be used in its place.
25. In **ScvpResponse** class (.NET Client SDK), method `GetSignerCertChain` has been removed. The method `GetSigningCertificates` of the parent class should be used in its place.
26. You should recompile your project by removing all jar files prefixed with `asc_*` and `adss_*` from your project and include the `adss_client_api.jar` file only.

Upgrading from ADSS Client SDK v3.8.x or v4.0.x

Required updates for business application:

1. In **VerifyInfo** class, method `getResponseItem()` is no longer in use and has been renamed with `getResponseItems()`. Replace all the calls of `getResponseItem()` with `getResponseItems()` in business application.
2. For all **Response** classes, the use of method `isSuccessfull()` is deprecated/obsolete because of a typo in method name. A new method named `isSuccessful()` is introduced for all Response classes in the current version. It is recommended to use new method in existing and new developments.
3. If business application is using .NET Client SDK then it should remove all references to **crypto.dll** because it is now covered in **itextsharp.dll**
4. In **Request** class (.NET Client SDK), methods `setRequestRetries`, `setSigningMode` and `setSoapVersion` are no longer in use and have been renamed with `SetRequestRetries`, `SetSigningMode` and `SetSoapVersion`. Replace all the calls of `setRequestRetries`, `setSigningMode`, `setSoapVersion` with `SetRequestRetries`, `SetSigningMode` and `SetSoapVersion` in business application.
5. In **CertificationRequest** class (.NET Client SDK), methods `setRequestMode`, `setCmcRequestMode` and `setIssuerDN` are no longer in use and have been renamed with `SetRequestMode`, `SetCmcRequestMode` and `SetIssuerDN`. Replace all the calls of `setRequestMode`, `setCmcRequestMode` and `setIssuerDN` with `SetRequestMode`, `SetCmcRequestMode` and `SetIssuerDN` in business application.
6. In **ScvpRequest** class (.NET Client SDK), method `addIntermediateCert` is no longer in use and has been renamed with `AddIntermediateCertificate`. Replace all the calls of `addIntermediateCert` with `AddIntermediateCertificate` in business application.
7. In **ScvpRequest** class (Java Client SDK), method `addIntermediateCert` is no longer in use and has been renamed with `addIntermediateCertificate`. Replace all the calls of `addIntermediateCert` with `addIntermediateCertificate` in business application.
8. In **ScvpResponse** class (.NET Client SDK), methods `GetBasicValidationAlgorithmOld` and `GetNameValidationAlgorithmOld` are no longer in use and have been renamed with `GetBasicValidationAlgorithmOID` and `GetNameValidationAlgorithmOID`. Replace all the calls of `GetBasicValidationAlgorithmOld` and `GetNameValidationAlgorithmOld` with `GetBasicValidationAlgorithmOID` and `GetNameValidationAlgorithmOID` in business application.
9. In **ScvpResponse** class (Java Client SDK), methods `getBasicValidationAlgorithmOld` and `getNameValidationAlgorithmOld` are no longer in use and have been renamed with `getBasicValidationAlgorithmOID` and `getNameValidationAlgorithmOID`. Replace all the calls of `getBasicValidationAlgorithmOld` and `getNameValidationAlgorithmOld` with `getBasicValidationAlgorithmOID`, `getNameValidationAlgorithmOID` in business application.
10. In **CompoundRequest** class (.NET Client SDK), method `addRequest` is no longer in use and has been renamed with `AddRequest`. Replace all the calls of `addRequest` with `AddRequest` in business application.
11. In **CompoundResult** class (.NET Client SDK), method `getResults` is no longer in use and has been renamed with `GetResults`. Replace all the calls of `getResults` with `GetResults` in business application.
12. In **ValidateRequest** class (.NET Client SDK), method `ValidateRequestType` is no longer in use and has been renamed with `GetValidateRequestType`. Replace all the calls of `ValidateRequestType` with `Get ValidateRequestType` in business application.
13. In **ValidateResult** class (.NET Client SDK), methods `GetCRL`, `GetOCSP`, `getCertificateQuality`, `getCspAssurance`, `getValidationScheme`, `getValidationModel`, `getRevocationTime`, `getRevocationReason`, `getValidationTime`, `isOcspNoCache`, `getErrorReason`, `getErrorDetail`,

getResponderName, getResponderURI, getResponderConfigurationVersion, getOcspCacheInterval and getValidateResultType are no longer in use and have been renamed with GetCRLs, GetOcspResponses, GetCertificateQuality, GetCspAssurance, GetValidationScheme, GetValidationModel, GetRevocationTime, GetRevocationReason, GetValidationTime, IsOcspNoCache, GetErrorReason, GetErrorDetail, GetResponderName, GetResponderURI, GetResponderConfigurationVersion, GetOcspCacheInterval and GetValidateResultType. Replace all the calls of GetCRL, GetOCSP, getCertificateQuality, getCspAssurance, getValidationScheme, getValidationModel, getRevocationTime, getRevocationReason, getValidationTime, isOcspNoCache, getErrorReason, getErrorDetail, getResponderName, getResponderURI, getResponderConfigurationVersion, getOcspCacheInterval and getValidateResultType with GetCRLs, GetOcspResponses, GetCertificateQuality, GetCspAssurance, GetValidationScheme, GetValidationModel, GetRevocationTime, GetRevocationReason, GetValidationTime, IsOcspNoCache, GetErrorReason, GetErrorDetail, GetResponderName, GetResponderURI, GetResponderConfigurationVersion, GetOcspCacheInterval and GetValidateResultType in business application.

14. In **ValidateResult** class (Java Client SDK), method getValidationmodel is no longer in use and has been renamed with getValidationModel. Replace all the calls of getValidationmodel with getValidationModel in business application.
15. In **SignatureVerificationRequest** class (.NET Client SDK), methods setReturnVerificationTimeInfo, setReturnSigningTimeInfo and setReturnSignerIdentity are no longer in use and have been renamed with SetReturnVerificationTimeInfo, SetReturnSigningTimeInfo and SetReturnSignerIdentity. Replace all the calls of setReturnVerificationTimeInfo, setReturnSigningTimeInfo and setReturnSignerIdentity with SetReturnVerificationTimeInfo, SetReturnSigningTimeInfo and SetReturnSignerIdentity in business application.
16. In **CertificateValidity** class (.NET Client SDK), method SetCertIssuerSerialNo is no longer in use and has been renamed with GetCertIssuerSerialNo. Replace all the calls of SetCertIssuerSerialNo with GetCertIssuerSerialNo in business application.
17. In **CertificatePathValidity** class (.NET Client SDK), methods GetCertificateValidity and SetCertificatePathValidity are no longer in use and have been renamed with GetCertValidity and SetCertPathValidity. Replace all the calls of GetCertificateValidity and SetCertificatePathValidity with GetCertValidity and SetCertPathValidity in business application.
18. In **Result** class (.NET Client SDK), methods setResultMajor, getResultMajor, setResultMinor, getResultMinor, setResultMessage and getResultMessage are no longer in use and have been renamed with SetResultMajor, GetResultMajor, SetResultMinor, GetResultMinor, SetResultMessage and GetResultMessage. Replace all the calls of setResultMajor, getResultMajor, setResultMinor, getResultMinor, setResultMessage and getResultMessage with SetResultMajor, GetResultMajor, SetResultMinor, GetResultMinor, SetResultMessage and GetResultMessage in business application.
19. In **IndividualReport** class (.NET Client SDK), methods GetSignatureProducitonPlaceCity, GetSignatureProducitonPlaceCountryName, GetSignatureProducitonPlacePostalCode and GetSignatureProducitonPlaceStateOrProvice are no longer in use and have been renamed with GetSignatureProductionPlaceCity, GetSignatureProductionPlaceCountryName, GetSignatureProductionPlacePostalCode and GetSignatureProductionPlaceStateOrProvice. Replace all the calls of GetSignatureProducitonPlaceCity, GetSignatureProducitonPlaceCountryName, GetSignatureProducitonPlacePostalCode and GetSignatureProducitonPlaceStateOrProvice with GetSignatureProductionPlaceCity, GetSignatureProductionPlaceCountryName, GetSignatureProductionPlacePostalCode and GetSignatureProductionPlaceStateOrProvice in business application.
20. In **IndividualReport** class (Java Client SDK), methods getSignatureProducitonPlaceCity, getSignatureProducitonPlaceCountryName, getSignatureProducitonPlacePostalCode and getSignatureProducitonPlaceStateOrProvice are no longer in use and have been renamed with getSignatureProductionPlaceCity, getSignatureProductionPlaceCountryName, getSignatureProductionPlacePostalCode and getSignatureProductionPlaceStateOrProvice. Replace all the calls of getSignatureProducitonPlaceCity, getSignatureProducitonPlaceCountryName, getSignatureProducitonPlacePostalCode and getSignatureProducitonPlaceStateOrProvice with

getSignatureProductionPlaceCity, getSignatureProductionPlaceCountryName,
getSignatureProductionPlacePostalCode and getSignatureProductionPlaceStateOrProvince in
business application.

21. In **CertificateValidity** class (.NET Client SDK), method GetCrlSignatureAlgorithmSutability is no longer in use and has been renamed with GetCrlSignatureAlgorithmSuitability. Replace all the calls of GetCrlSignatureAlgorithmSutability with GetCrlSignatureAlgorithmSuitability in business application.
22. In **CertificateValidity** class (.NET Client SDK), method GetOcspSignatureAlgorithmSutability is no longer in use and has been renamed with GetOcspSignatureAlgorithmSuitability. Replace all the calls of GetOcspSignatureAlgorithmSutability with GetOcspSignatureAlgorithmSuitability in business application.
23. In **CertificateValidity** class (Java Client SDK), method getCrlSignatureAlgorithmSutability is no longer in use and has been renamed with getCrlSignatureAlgorithmSuitability. Replace all the calls of getCrlSignatureAlgorithmSutability with getCrlSignatureAlgorithmSuitability in business application.
24. In **CertificateValidity** class (Java Client SDK), method getOcspSignatureAlgorithmSutability is no longer in use and has been renamed with getOcspSignatureAlgorithmSuitability. Replace all the calls of getOcspSignatureAlgorithmSutability with getOcspSignatureAlgorithmSuitability in business application.
25. In **ScvpResponse** class (Java Client SDK), method getSignerCertChain has been removed. The method getSigningCertificates of the parent class should be used in its place.
26. In **ScvpResponse** class (.NET Client SDK), method GetSignerCertChain has been removed. The method GetSigningCertificates of the parent class should be used in its place.
27. You should recompile your project by removing all jar files prefixed with **asc_*** and **adss_*** from your project and include the **adss_client_api.jar** file only.

Contact Details

For Commercial Sales: +44 (0) 1256 895416, sales@ascertia.com
For Technical Support: support@ascertia.com