

This document provides instructions for upgrading business applications to latest version which are currently using ADSS Client SDK v3.8 or later. If business application is using ADSS Client SDK v3.7 or earlier than the only option is to re-build the business application using the latest version of ADSS Client SDK and follow the latest ADSS Server Guides. Ensure to take a backup of your business application directory/project before performing the suggested changes. See the ADSS Client SDK Release Notes for details of the updates available in this version of the Client SDK.

Upgrading to latest version of ADSS Client SDK

To upgrade a business application to use latest version of libraries below instructions should be followed:

1. Copy the latest version of required libraries from [ADSS Client SDK]/API/lib folder to business application library folder.
2. Recompile the business application with latest versions of libraries to ensure there is no compatibility issue. Also see the following sections for possible changes required in code/configurations when upgraded to current version.

Also, see the following sections for possible changes required in code/configurations when upgrading from a specific version to current version.

Upgrading from ADSS Client SDK v8.3.6 or below

From ADSS Client SDK v8.3.7 or above, the Client SDK has been upgraded to use the PKCS12 keystore type, improving security and compatibility. This update impacts the following configuration properties:

- `javax.net.ssl.trustStoreType`: Now defaults to "PKCS12" for a standardized trust store format.
- `keystore.type`: Set to "PKCS12" to align with current security standards.

This change ensures enhanced security and consistency within the SDK.

Upgrading from ADSS Client SDK v6.8 or below

From ADSS Client SDK v6.9 and above, Ascertia will neither support iText versions below iText 7 nor it will ship ADSS Client SDK with embedded iText libraries.

Customers must purchase iText licenses, for example [OEM](#), from the iText team themselves. For further information on how to buy the required iText license, visit [iText Sales](#).

The iText Core package can be downloaded from the [iText Github repository](#).

Important Note: Customers **must** purchase a commercial iText license to use with ADSS Client SDK (.NET) v6.9 and above. The software license for iText community edition cannot be used by Ascertia customers for commercial use.

Please use the following steps to install iText within the ADSS SDK\ Business Application:

For ADSS Client SDK (Java):

Ascertia ADSS Client SDK (Java) no longer uses iText to generate PDF signature in local hash. Instead, ADSS Client SDK has now adopted for Apache PdfBox (Java) for this purpose. Hence, iText license will no longer be required in this case.

For ADSS Client SDK (.NET):

1. Download the appropriate iText Core versions from the official NuGet repository:
 - a. iText Core v7.1.15 for .NET45:
<https://www.nuget.org/packages/itext7/7.1.15>.
 - b. iText Core v9.1.0 for .NET8:
<https://www.nuget.org/packages/itext/9.1.0>.



Note: Ensure that you download the correct iText Core package, **not iText Suite**, to maintain compatibility.

2. Transfer the packages to the ADSS Server:
 - a. On the NuGet package page, locate the **About** section on the right-hand side.
 - b. Click "**Download Package**" to download the .zip file.
 - c. Once downloaded, transfer the .zip file to the server where the ADSS SDK or business application is installed.
3. Acquire a commercial license file from the iText team and do the following:
 - a. **For iText7.1.15 (.NET45):**
Rename the license file to `'iText-License.xml'`.
 - b. **For iText9.1.0 (.NET8):**
Rename the license file to `'iText-License.json'`.
4. On the server hosting the ADSS SDK or business application, extract the respective NuGet packages and place the required DLLs in the following locations:
 - a. **For iText7.1.15 (.NET45):**
 - i. Copy DLLs from `itext7.7.1.15\lib\netstandard2.0` → `\bin\netstandard2.0`
 - ii. Copy DLLs from `itext7.7.1.15\lib\net45` → `\bin\net45`
 - b. **For iText9.1.0 (.NET8):**
 - i. Copy DLLs from `itext9.1.0\lib\netstandard2.0` → `\bin\netstandard2.0`
 - ii. Copy DLLs from `itext9.1.0\lib\net8.0` → `\bin\net8.0`
5. Place the `iText-License.xml/iText-License.json` file in the business application library folder.
6. For Go>Sign Demos, move the required DLLs and license file to the appropriate directories:
 - a. **Bulk Signing Demo for .NET45:**
`GoSign\Demo\GoSignDemos-net45\Bulk-Local-Signing\bin`
 - b. **Bulk Signing Demo for .NET8:**
`GoSign\Demo\GoSignDemos\Bulk-Local-Signing\bin\Release\net8.0\Bulk-Local-Signing`
7. For Samples, place the DLLs and license files at following locations:

- a. **For .NET8:**
`[ADSS-Client-SDK-Installation-Directory]\API\samples\bin\net8.0-windows`
- b. **For .NET45:**
`[ADSS-Client-SDK-Installation-Directory]\API\samples\bin\net45`



Note that the license file name i.e. 'iText-License.xml' is case sensitive. If we try to use the file with any other name, the file will not be loaded.

Upgrading from ADSS Client SDK v5.0

Required updates for business application:

1. In **SigningRequest** class (Java & .NET Client SDK), constructors which takes XML document object as an argument has been removed. The constructors which take byte[] as an argument should be used in its place.
2. In **SigningRequest** and **PdfSigningRequest** classes (Java & .NET Client SDK), the default request mode has been changed from DSS to HTTP. When using HTTP request mode the Signing Service URL will be <http://machinename:8777/adss/signing/hdsi>. If business application has not specified any request mode in its current implementation, then business application must call the **setRequestMode(SigningRequest.DSS)** to continue using DSS request mode.
3. In **SignatureVerificationRequest** and **CertificateValidationRequest** classes (Java & .NET Client SDK), the default request mode has been changed from DSS to HTTP. When using HTTP request mode the Verification Service URL will be <http://machinename:8777/adss/verification/hsvi>. If business application has not specified any request mode in its current implementation, then business application must call the **setRequestMode(VerificationRequest.DSS)** to continue using DSS request mode.
4. You should recompile your project by removing all jar files prefixed with **asc_*** and **adss_*** from your project and include the **adss_client_api.jar** file only.



If business application changes to use HTTP request mode, then business application developer must read the API documentation of mentioned classes to make sure the methods currently being used are supported and return the expected results when HTTP mode is used.

Upgrading from ADSS Client SDK v4.8

FIELD_COORDS request header is updated to hold the empty signature field name along with X-Y coordinates. e.g. 10,10,100,200,1,Signature1.

Upgrading from ADSS Client SDK v4.7

You should recompile your project by removing all jar files prefixed with **asc_*** and **adss_*** from your project and include the **adss_client_api.jar** file only.

Upgrading from ADSS Client SDK v4.5

Required updates for business application:

1. In **SigningRequest** and **PdfSigningRequest** classes (Java & .NET Client SDK), the default request mode has been changed from XML to DSS. When using DSS request mode the Signing Service URL will be <http://machinename:8777/adss/signing/dss>. If business application has not specified any

request mode in its current implementation, then business application must call the **setRequestMode(SigningRequest.XML)** to continue using XML request mode.

2. In **SignatureVerificationRequest** and **CertificateValidationRequest** classes (Java & .NET Client SDK), the default request mode has been changed from XML to DSS. When using DSS request mode the Verification Service URL will be <http://machinename:8777/adss/verification/dss>. If business application has not specified any request mode in its current implementation, then business application must call the **setRequestMode(VerificationRequest.XML)** to continue using XML request mode.
3. You should recompile your project by removing all jar files prefixed with **asc_*** and **adss_*** from your project and include the **adss_client_api.jar** file only.



If business application changes to use DSS request mode, then business application developer must read the API documentation of mentioned classes to make sure the methods currently being used are supported and return the expected results when DSS mode is used.

Upgrading from ADSS Client SDK v4.4

Required updates for business application:

1. In **CertificateValidity** class (.NET Client SDK), method **GetCrISignatureAlgorithmSutability** is no longer in use and has been renamed with **GetCrISignatureAlgorithmSuitability**. Replace all the calls of **GetCrISignatureAlgorithmSutability** with **GetCrISignatureAlgorithmSuitability** in business application.
2. In **CertificateValidity** class (.NET Client SDK), method **GetOcspSignatureAlgorithmSutability** is no longer in use and has been renamed with **GetOcspSignatureAlgorithmSuitability**. Replace all the calls of **GetOcspSignatureAlgorithmSutability** with **GetOcspSignatureAlgorithmSuitability** in business application.
3. In **CertificateValidity** class (Java Client SDK), method **getCrISignatureAlgorithmSutability** is no longer in use and has been renamed with **getCrISignatureAlgorithmSuitability**. Replace all the calls of **getCrISignatureAlgorithmSutability** with **getCrISignatureAlgorithmSuitability** in business application.
4. In **CertificateValidity** class (Java Client SDK), method **getOcspSignatureAlgorithmSutability** is no longer in use and has been renamed with **getOcspSignatureAlgorithmSuitability**. Replace all the calls of **getOcspSignatureAlgorithmSutability** with **getOcspSignatureAlgorithmSuitability** in business application.
5. In **ScvpResponse** class (Java Client SDK), method **getSignerCertChain** has been removed. The method **getSigningCertificates** of the parent class should be used in its place.
6. In **ScvpResponse** class (.NET Client SDK), method **GetSignerCertChain** has been removed. The method **GetSigningCertificates** of the parent class should be used in its place.
7. You should recompile your project by removing all jar files prefixed with **asc_*** and **adss_*** from your project and include the **adss_client_api.jar** file only.

Upgrading from ADSS Client SDK v4.3

Required updates for business application:

1. If business application is using .NET Client SDK then it should remove all references to **crypto.dll** because it is now covered in **itextsharp.dll**
2. In **Request** class (.NET Client SDK), methods **setRequestRetries**, **setSigningMode** and **setSoapVersion** are no longer in use and have been renamed with **SetRequestRetries**, **SetSigningMode** and **SetSoapVersion**. Replace all the calls of **setRequestRetries**, **setSigningMode**,

setSoapVersion with SetRequestRetries, SetSigningMode and SetSoapVersion in business application.

3. In **CertificationRequest** class (.NET Client SDK), methods setRequestMode, setCmcRequestMode and setIssuerDN are no longer in use and have been renamed with SetRequestMode, SetCmcRequestMode and SetIssuerDN. Replace all the calls of setRequestMode, setCmcRequestMode and setIssuerDN with SetRequestMode, SetCmcRequestMode and SetIssuerDN in business application.
4. In **ScvpRequest** class (.NET Client SDK), method addIntermediateCert is no longer in use and has been renamed with AddIntermediateCertificate. Replace all the calls of addIntermediateCert with AddIntermediateCertificate in business application.
5. In **ScvpRequest** class (Java Client SDK), method addIntermediateCert is no longer in use and has been renamed with addIntermediateCertificate. Replace all the calls of addIntermediateCert with addIntermediateCertificate in business application.
6. In **ScvpResponse** class (.NET Client SDK), methods GetBasicValidationAlgorithmOld and GetNameValidationAlgorithmOld are no longer in use and have been renamed with GetBasicValidationAlgorithmOID and GetNameValidationAlgorithmOID. Replace all the calls of GetBasicValidationAlgorithmOld and GetBasicValidationAlgorithmOld with GetBasicValidationAlgorithmOID and GetNameValidationAlgorithmOID in business application.
7. In **ScvpResponse** class (Java Client SDK), methods getBasicValidationAlgorithmOld and getNameValidationAlgorithmOld are no longer in use and have been renamed with getBasicValidationAlgorithmOID and getNameValidationAlgorithmOID. Replace all the calls of getBasicValidationAlgorithmOld and getBasicValidationAlgorithmOld with getBasicValidationAlgorithmOID, getNameValidationAlgorithmOID in business application.
8. In **CompoundRequest** class (.NET Client SDK), method addRequest is no longer in use and has been renamed with AddRequest. Replace all the calls of addRequest with AddRequest in business application.
9. In **CompoundResult** class (.NET Client SDK), method getResults is no longer in use and has been renamed with GetResults. Replace all the calls of getResults with GetResults in business application.
10. In **ValidateRequest** class (.NET Client SDK), method ValidateRequestType is no longer in use and has been renamed with GetValidateRequestType. Replace all the calls of ValidateRequestType with Get ValidateRequestType in business application.
11. In **ValidateResult** class (.NET Client SDK), methods GetCRL, GetOCSP, getCertificateQuality, getCspAssurance, getValidationScheme, getValidationModel, getRevocationTime, getRevocationReason, getValidationTime, isOcsNoCache, getErrorReason, getErrorDetail, getResponderName, getResponderURI, getResponderConfigurationVersion, getOcsCacheInterval and getValidateResultType are no longer in use and have been renamed with GetCRLs, GetOcsResponses, GetCertificateQuality, GetCspAssurance, GetValidationScheme, GetValidationModel, GetRevocationTime, GetRevocationReason, GetValidationTime, IsOcsNoCache, GetErrorReason, GetErrorDetail, GetResponderName, GetResponderURI, GetResponderConfigurationVersion, GetOcsCacheInterval and GetValidateResultType. Replace all the calls of GetCRL, GetOCSP, getCertificateQuality, getCspAssurance, getValidationScheme, getValidationModel, getRevocationTime, getRevocationReason, getValidationTime, isOcsNoCache, getErrorReason, getErrorDetail, getResponderName, getResponderURI, getResponderConfigurationVersion, getOcsCacheInterval and getValidateResultType with GetCRLs, GetOcsResponses, GetCertificateQuality, GetCspAssurance, GetValidationScheme, GetValidationModel, GetRevocationTime, GetRevocationReason, GetValidationTime, IsOcsNoCache, GetErrorReason, GetErrorDetail, GetResponderName, GetResponderURI, GetResponderConfigurationVersion, GetOcsCacheInterval and GetValidateResultType in business application.

12. In **ValidateResult** class (Java Client SDK), method `getValidationmodel` is no longer in use and has been renamed with `getValidationModel`. Replace all the calls of `getValidationmodel` with `getValidationModel` in business application.
13. In **SignatureVerificationRequest** class (.NET Client SDK), methods `setReturnVerificationTimeInfo`, `setReturnSigningTimeInfo` and `setReturnSignerIdentity` are no longer in use and have been renamed with `SetReturnVerificationTimeInfo`, `SetReturnSigningTimeInfo` and `SetReturnSignerIdentity`. Replace all the calls of `setReturnVerificationTimeInfo`, `setReturnSigningTimeInfo` and `setReturnSignerIdentity` with `SetReturnVerificationTimeInfo`, `SetReturnSigningTimeInfo` and `SetReturnSignerIdentity` in business application.
14. In **CertificateValidity** class (.NET Client SDK), method `SetCertIssuerSerialNo` is no longer in use and has been renamed with `GetCertIssuerSerialNo`. Replace all the calls of `SetCertIssuerSerialNo` with `GetCertIssuerSerialNo` in business application.
15. In **CertificatePathValidity** class (.NET Client SDK), methods `GetCertificateValidity` and `SetCertificatePathValidity` are no longer in use and have been renamed with `GetCertValidity` and `SetCertPathValidity`. Replace all the calls of `GetCertificateValidity` and `SetCertificatePathValidity` with `GetCertValidity` and `SetCertPathValidity` in business application.
16. In **Result** class (.NET Client SDK), methods `setResultMajor`, `getResultMajor`, `setResultMinor`, `getResultMinor`, `setResultMessage` and `getResultMessage` are no longer in use and have been renamed with `SetResultMajor`, `GetResultMajor`, `SetResultMinor`, `GetResultMinor`, `SetResultMessage` and `GetResultMessage`. Replace all the calls of `setResultMajor`, `getResultMajor`, `setResultMinor`, `getResultMinor`, `setResultMessage` and `getResultMessage` with `SetResultMajor`, `GetResultMajor`, `SetResultMinor`, `GetResultMinor`, `SetResultMessage` and `GetResultMessage` in business application.
17. In **IndividualReport** class (.NET Client SDK), methods `GetSignatureProducitonPlaceCity`, `GetSignatureProducitonPlaceCountryName`, `GetSignatureProducitonPlacePostalCode` and `GetSignatureProducitonPlaceStateOrProvice` are no longer in use and have been renamed with `GetSignatureProductionPlaceCity`, `GetSignatureProductionPlaceCountryName`, `GetSignatureProductionPlacePostalCode` and `GetSignatureProductionPlaceStateOrProvice`. Replace all the calls of `GetSignatureProducitonPlaceCity`, `GetSignatureProducitonPlaceCountryName`, `GetSignatureProducitonPlacePostalCode` and `GetSignatureProducitonPlaceStateOrProvice` with `GetSignatureProductionPlaceCity`, `GetSignatureProductionPlaceCountryName`, `GetSignatureProductionPlacePostalCode` and `GetSignatureProductionPlaceStateOrProvice` in business application.
18. In **IndividualReport** class (Java Client SDK), methods `getSignatureProducitonPlaceCity`, `getSignatureProducitonPlaceCountryName`, `getSignatureProducitonPlacePostalCode` and `getSignatureProducitonPlaceStateOrProvice` are no longer in use and have been renamed with `getSignatureProductionPlaceCity`, `getSignatureProductionPlaceCountryName`, `getSignatureProductionPlacePostalCode` and `getSignatureProductionPlaceStateOrProvice`. Replace all the calls of `getSignatureProducitonPlaceCity`, `getSignatureProducitonPlaceCountryName`, `getSignatureProducitonPlacePostalCode` and `getSignatureProducitonPlaceStateOrProvice` with `getSignatureProductionPlaceCity`, `getSignatureProductionPlaceCountryName`, `getSignatureProductionPlacePostalCode` and `getSignatureProductionPlaceStateOrProvice` in business application.
19. In **CertificateValidity** class (.NET Client SDK), method `GetCrISignatureAlgorithmSutability` is no longer in use and has been renamed with `GetCrISignatureAlgorithmSuitability`. Replace all the calls of `GetCrISignatureAlgorithmSutability` with `GetCrISignatureAlgorithmSuitability` in business application.
20. In **CertificateValidity** class (.NET Client SDK), method `GetOcspSignatureAlgorithmSutability` is no longer in use and has been renamed with `GetOcspSignatureAlgorithmSuitability`. Replace all the calls of `GetOcspSignatureAlgorithmSutability` with `GetOcspSignatureAlgorithmSuitability` in business application.

21. In **CertificateValidity** class (Java Client SDK), method `getCrISignatureAlgorithmSutability` is no longer in use and has been renamed with `getCrISignatureAlgorithmSuitability`. Replace all the calls of `getCrISignatureAlgorithmSutability` with `getCrISignatureAlgorithmSuitability` in business application.
22. In **CertificateValidity** class (Java Client SDK), method `getOcspSignatureAlgorithmSutability` is no longer in use and has been renamed with `getOcspSignatureAlgorithmSuitability`. Replace all the calls of `getOcspSignatureAlgorithmSutability` with `getOcspSignatureAlgorithmSuitability` in business application.
23. In **ScvpResponse** class (Java Client SDK), method `getSignerCertChain` has been removed. The method `getSigningCertificates` of the parent class should be used in its place.
24. In **ScvpResponse** class (.NET Client SDK), method `GetSignerCertChain` has been removed. The method `GetSigningCertificates` of the parent class should be used in its place.
25. You should recompile your project by removing all jar files prefixed with **asc_*** and **adss_*** from your project and include the **adss_client_api.jar** file only.

Upgrading from ADSS Client SDK v4.1 or v4.2

Required updates for business application:

1. For all **Response** classes, the use of method `isSuccessfull()` is deprecated/obsolete because of a typo in method name. A new method named `isSuccessful()` is introduced for all Response classes in the current version. It is recommended to use new method in existing and new developments.
2. If business application is using .NET Client SDK then it should remove all references to **crypto.dll** because it is now covered in **itextsharp.dll**
3. In **Request** class (.NET Client SDK), methods `setRequestRetries`, `setSigningMode` and `setSoapVersion` are no longer in use and have been renamed with `SetRequestRetries`, `SetSigningMode` and `SetSoapVersion`. Replace all the calls of `setRequestRetries`, `setSigningMode`, `setSoapVersion` with `SetRequestRetries`, `SetSigningMode` and `SetSoapVersion` in business application.
4. In **CertificationRequest** class (.NET Client SDK), methods `setRequestMode`, `setCmcRequestMode` and `setIssuerDN` are no longer in use and have been renamed with `SetRequestMode`, `SetCmcRequestMode` and `SetIssuerDN`. Replace all the calls of `setRequestMode`, `setCmcRequestMode` and `setIssuerDN` with `SetRequestMode`, `SetCmcRequestMode` and `SetIssuerDN` in business application.
5. In **ScvpRequest** class (.NET Client SDK), method `addIntermediateCert` is no longer in use and has been renamed with `AddIntermediateCertificate`. Replace all the calls of `addIntermediateCert` with `AddIntermediateCertificate` in business application.
6. In **ScvpRequest** class (Java Client SDK), method `addIntermediateCert` is no longer in use and has been renamed with `addIntermediateCertificate`. Replace all the calls of `addIntermediateCert` with `addIntermediateCertificate` in business application.
7. In **ScvpResponse** class (.NET Client SDK), methods `GetBasicValidationAlgorithmOld` and `GetNameValidationAlgorithmOld` are no longer in use and have been renamed with `GetBasicValidationAlgorithmOID` and `GetNameValidationAlgorithmOID`. Replace all the calls of `GetBasicValidationAlgorithmOld` and `GetNameValidationAlgorithmOld` with `GetBasicValidationAlgorithmOID` and `GetNameValidationAlgorithmOID` in business application.
8. In **ScvpResponse** class (Java Client SDK), methods `getBasicValidationAlgorithmOld` and `getNameValidationAlgorithmOld` are no longer in use and have been renamed with `getBasicValidationAlgorithmOID` and `getNameValidationAlgorithmOID`. Replace all the calls of `getBasicValidationAlgorithmOld` and `getNameValidationAlgorithmOld` with `getBasicValidationAlgorithmOID`, `getNameValidationAlgorithmOID` in business application.

9. In **CompoundRequest** class (.NET Client SDK), method `addRequest` is no longer in use and has been renamed with `AddRequest`. Replace all the calls of `addRequest` with `AddRequest` in business application.
10. In **CompoundResult** class (.NET Client SDK), method `getResults` is no longer in use and has been renamed with `GetResults`. Replace all the calls of `getResults` with `GetResults` in business application.
11. In **ValidateRequest** class (.NET Client SDK), method `ValidateRequestType` is no longer in use and has been renamed with `GetValidateRequestType`. Replace all the calls of `ValidateRequestType` with `Get ValidateRequestType` in business application.
12. In **ValidateResult** class (.NET Client SDK), methods `GetCRL`, `GetOCSP`, `getCertificateQuality`, `getCspAssurance`, `getValidationScheme`, `getValidationModel`, `getRevocationTime`, `getRevocationReason`, `getValidationTime`, `isOcspNoCache`, `getErrorReason`, `getErrorDetail`, `getResponderName`, `getResponderURI`, `getResponderConfigurationVersion`, `getOcspCacheInterval` and `getValidateResultType` are no longer in use and have been renamed with `GetCRLs`, `GetOcspResponses`, `GetCertificateQuality`, `GetCspAssurance`, `GetValidationScheme`, `GetValidationModel`, `GetRevocationTime`, `GetRevocationReason`, `GetValidationTime`, `IsOcspNoCache`, `GetErrorReason`, `GetErrorDetail`, `GetResponderName`, `GetResponderURI`, `GetResponderConfigurationVersion`, `GetOcspCacheInterval` and `GetValidateResultType`. Replace all the calls of `GetCRL`, `GetOCSP`, `getCertificateQuality`, `getCspAssurance`, `getValidationScheme`, `getValidationModel`, `getRevocationTime`, `getRevocationReason`, `getValidationTime`, `isOcspNoCache`, `getErrorReason`, `getErrorDetail`, `getResponderName`, `getResponderURI`, `getResponderConfigurationVersion`, `getOcspCacheInterval` and `getValidateResultType` with `GetCRLs`, `GetOcspResponses`, `GetCertificateQuality`, `GetCspAssurance`, `GetValidationScheme`, `GetValidationModel`, `GetRevocationTime`, `GetRevocationReason`, `GetValidationTime`, `IsOcspNoCache`, `GetErrorReason`, `GetErrorDetail`, `GetResponderName`, `GetResponderURI`, `GetResponderConfigurationVersion`, `GetOcspCacheInterval` and `GetValidateResultType` in business application.
13. In **ValidateResult** class (Java Client SDK), method `getValidationmodel` is no longer in use and has been renamed with `getValidationModel`. Replace all the calls of `getValidationmodel` with `getValidationModel` in business application.
14. In **SignatureVerificationRequest** class (.NET Client SDK), methods `setReturnVerificationTimeInfo`, `setReturnSigningTimeInfo` and `setReturnSignerIdentity` are no longer in use and have been renamed with `SetReturnVerificationTimeInfo`, `SetReturnSigningTimeInfo` and `SetReturnSignerIdentity`. Replace all the calls of `setReturnVerificationTimeInfo`, `setReturnSigningTimeInfo` and `setReturnSignerIdentity` with `SetReturnVerificationTimeInfo`, `SetReturnSigningTimeInfo` and `SetReturnSignerIdentity` in business application.
15. In **CertificateValidity** class (.NET Client SDK), method `SetCertIssuerSerialNo` is no longer in use and has been renamed with `GetCertIssuerSerialNo`. Replace all the calls of `SetCertIssuerSerialNo` with `GetCertIssuerSerialNo` in business application.
16. In **CertificatePathValidity** class (.NET Client SDK), methods `GetCertificateValidity` and `SetCertificatePathValidity` are no longer in use and have been renamed with `GetCertValidity` and `SetCertPathValidity`. Replace all the calls of `GetCertificateValidity` and `SetCertificatePathValidity` with `GetCertValidity` and `SetCertPathValidity` in business application.
17. In **Result** class (.NET Client SDK), methods `setResultMajor`, `getResultMajor`, `setResultMinor`, `getResultMinor`, `setResultMessage` and `getResultMessage` are no longer in use and have been renamed with `SetResultMajor`, `GetResultMajor`, `SetResultMinor`, `GetResultMinor`, `SetResultMessage` and `GetResultMessage`. Replace all the calls of `setResultMajor`, `getResultMajor`, `setResultMinor`, `getResultMinor`, `setResultMessage` and `getResultMessage` with `SetResultMajor`, `GetResultMajor`, `SetResultMinor`, `GetResultMinor`, `SetResultMessage` and `GetResultMessage` in business application.
18. In **IndividualReport** class (.NET Client SDK), methods `GetSignatureProducitonPlaceCity`, `GetSignatureProducitonPlaceCountryName`, `GetSignatureProducitonPlacePostalCode` and `GetSignatureProducitonPlaceStateOrProvice` are no longer in use and have been renamed with `GetSignatureProductionPlaceCity`, `GetSignatureProductionPlaceCountryName`,

GetSignatureProductionPlacePostalCode and GetSignatureProductionPlaceStateOrProvince. Replace all the calls of GetSignatureProductionPlaceCity, GetSignatureProductionPlaceCountryName, GetSignatureProductionPlacePostalCode and GetSignatureProductionPlaceStateOrProvince with GetSignatureProductionPlaceCity, GetSignatureProductionPlaceCountryName, GetSignatureProductionPlacePostalCode and GetSignatureProductionPlaceStateOrProvince in business application.

19. In **IndividualReport** class (Java Client SDK), methods getSignatureProductionPlaceCity, getSignatureProductionPlaceCountryName, getSignatureProductionPlacePostalCode and getSignatureProductionPlaceStateOrProvince are no longer in use and have been renamed with getSignatureProductionPlaceCity, getSignatureProductionPlaceCountryName, getSignatureProductionPlacePostalCode and getSignatureProductionPlaceStateOrProvince. Replace all the calls of getSignatureProductionPlaceCity, getSignatureProductionPlaceCountryName, getSignatureProductionPlacePostalCode and getSignatureProductionPlaceStateOrProvince with getSignatureProductionPlaceCity, getSignatureProductionPlaceCountryName, getSignatureProductionPlacePostalCode and getSignatureProductionPlaceStateOrProvince in business application.
20. In **CertificateValidity** class (.NET Client SDK), method GetCrlSignatureAlgorithmSuitability is no longer in use and has been renamed with GetCrlSignatureAlgorithmSuitability. Replace all the calls of GetCrlSignatureAlgorithmSuitability with GetCrlSignatureAlgorithmSuitability in business application.
21. In **CertificateValidity** class (.NET Client SDK), method GetOcspSignatureAlgorithmSuitability is no longer in use and has been renamed with GetOcspSignatureAlgorithmSuitability. Replace all the calls of GetOcspSignatureAlgorithmSuitability with GetOcspSignatureAlgorithmSuitability in business application.
22. In **CertificateValidity** class (Java Client SDK), method getCrlSignatureAlgorithmSuitability is no longer in use and has been renamed with getCrlSignatureAlgorithmSuitability. Replace all the calls of getCrlSignatureAlgorithmSuitability with getCrlSignatureAlgorithmSuitability in business application.
23. In **CertificateValidity** class (Java Client SDK), method getOcspSignatureAlgorithmSuitability is no longer in use and has been renamed with getOcspSignatureAlgorithmSuitability. Replace all the calls of getOcspSignatureAlgorithmSuitability with getOcspSignatureAlgorithmSuitability in business application.
24. In **ScvpResponse** class (Java Client SDK), method getSignerCertChain has been removed. The method getSigningCertificates of the parent class should be used in its place.
25. In **ScvpResponse** class (.NET Client SDK), method GetSignerCertChain has been removed. The method GetSigningCertificates of the parent class should be used in its place.
26. You should recompile your project by removing all jar files prefixed with **asc_*** and **adss_*** from your project and include the **adss_client_api.jar** file only.

Upgrading from ADSS Client SDK v3.8 or v4.0

Required updates for business application:

1. In **VerifyInfo** class, method `getResponseItem()` is no longer in use and has been renamed with `getResponseItems()`. Replace all the calls of `getResponseItem()` with `getResponseItems()` in business application.
2. For all **Response** classes, the use of method `isSuccessfull()` is deprecated/obsolete because of a typo in method name. A new method named `isSuccessful()` is introduced for all Response classes in the current version. It is recommended to use new method in existing and new developments.
3. If business application is using .NET Client SDK then it should remove all references to **crypto.dll** because it is now covered in **itextsharp.dll**
4. In **Request** class (.NET Client SDK), methods `setRequestRetries`, `setSigningMode` and `setSoapVersion` are no longer in use and have been renamed with `SetRequestRetries`, `SetSigningMode` and `SetSoapVersion`. Replace all the calls of `setRequestRetries`, `setSigningMode`, `setSoapVersion` with `SetRequestRetries`, `SetSigningMode` and `SetSoapVersion` in business application.
5. In **CertificationRequest** class (.NET Client SDK), methods `setRequestMode`, `setCmcRequestMode` and `setIssuerDN` are no longer in use and have been renamed with `SetRequestMode`, `SetCmcRequestMode` and `SetIssuerDN`. Replace all the calls of `setRequestMode`, `setCmcRequestMode` and `setIssuerDN` with `SetRequestMode`, `SetCmcRequestMode` and `SetIssuerDN` in business application.
6. In **ScvpRequest** class (.NET Client SDK), method `addIntermediateCert` is no longer in use and has been renamed with `AddIntermediateCertificate`. Replace all the calls of `addIntermediateCert` with `AddIntermediateCertificate` in business application.
7. In **ScvpRequest** class (Java Client SDK), method `addIntermediateCert` is no longer in use and has been renamed with `addIntermediateCertificate`. Replace all the calls of `addIntermediateCert` with `addIntermediateCertificate` in business application.
8. In **ScvpResponse** class (.NET Client SDK), methods `GetBasicValidationAlgorithmOld` and `GetNameValidationAlgorithmOld` are no longer in use and have been renamed with `GetBasicValidationAlgorithmOID` and `GetNameValidationAlgorithmOID`. Replace all the calls of `GetBasicValidationAlgorithmOld` and `GetNameValidationAlgorithmOld` with `GetBasicValidationAlgorithmOID` and `GetNameValidationAlgorithmOID` in business application.
9. In **ScvpResponse** class (Java Client SDK), methods `getBasicValidationAlgorithmOld` and `getNameValidationAlgorithmOld` are no longer in use and have been renamed with `getBasicValidationAlgorithmOID` and `getNameValidationAlgorithmOID`. Replace all the calls of `getBasicValidationAlgorithmOld` and `getNameValidationAlgorithmOld` with `getBasicValidationAlgorithmOID`, `getNameValidationAlgorithmOID` in business application.
10. In **CompoundRequest** class (.NET Client SDK), method `addRequest` is no longer in use and has been renamed with `AddRequest`. Replace all the calls of `addRequest` with `AddRequest` in business application.
11. In **CompoundResult** class (.NET Client SDK), method `getResults` is no longer in use and has been renamed with `GetResults`. Replace all the calls of `getResults` with `GetResults` in business application.
12. In **ValidateRequest** class (.NET Client SDK), method `ValidateRequestType` is no longer in use and has been renamed with `GetValidateRequestType`. Replace all the calls of `ValidateRequestType` with `Get ValidateRequestType` in business application.
13. In **ValidateResult** class (.NET Client SDK), methods `GetCRL`, `GetOCSP`, `getCertificateQuality`, `getCspAssurance`, `getValidationScheme`, `getValidationModel`, `getRevocationTime`, `getRevocationReason`, `getValidationTime`, `isOcspNoCache`, `getErrorReason`, `getErrorDetail`,

getResponderName, getResponderURI, getResponderConfigurationVersion, getOcspCacheInterval and getValidateResultType are no longer in use and have been renamed with GetCRLs, GetOcspResponses, GetCertificateQuality, GetCspAssurance, GetValidationScheme, GetValidationModel, GetRevocationTime, GetRevocationReason, GetValidationTime, IsOcspNoCache, GetErrorReason, GetErrorDetail, GetResponderName, GetResponderURI, GetResponderConfigurationVersion, GetOcspCacheInterval and GetValidateResultType. Replace all the calls of GetCRL, GetOCSP, getCertificateQuality, getCspAssurance, getValidationScheme, getValidationModel, getRevocationTime, getRevocationReason, getValidationTime, isOcspNoCache, getErrorReason, getErrorDetail, getResponderName, getResponderURI, getResponderConfigurationVersion, getOcspCacheInterval and getValidateResultType with GetCRLs, GetOcspResponses, GetCertificateQuality, GetCspAssurance, GetValidationScheme, GetValidationModel, GetRevocationTime, GetRevocationReason, GetValidationTime, IsOcspNoCache, GetErrorReason, GetErrorDetail, GetResponderName, GetResponderURI, GetResponderConfigurationVersion, GetOcspCacheInterval and GetValidateResultType in business application.

14. In **ValidateResult** class (Java Client SDK), method getValidationmodel is no longer in use and has been renamed with getValidationModel. Replace all the calls of getValidationmodel with getValidationModel in business application.
15. In **SignatureVerificationRequest** class (.NET Client SDK), methods setReturnVerificationTimeInfo, setReturnSigningTimeInfo and setReturnSignerIdentity are no longer in use and have been renamed with SetReturnVerificationTimeInfo, SetReturnSigningTimeInfo and SetReturnSignerIdentity. Replace all the calls of setReturnVerificationTimeInfo, setReturnSigningTimeInfo and setReturnSignerIdentity with SetReturnVerificationTimeInfo, SetReturnSigningTimeInfo and SetReturnSignerIdentity in business application.
16. In **CertificateValidity** class (.NET Client SDK), method SetCertIssuerSerialNo is no longer in use and has been renamed with GetCertIssuerSerialNo. Replace all the calls of SetCertIssuerSerialNo with GetCertIssuerSerialNo in business application.
17. In **CertificatePathValidity** class (.NET Client SDK), methods GetCertificateValidity and SetCertificatePathValidity are no longer in use and have been renamed with GetCertValidity and SetCertPathValidity. Replace all the calls of GetCertificateValidity and SetCertificatePathValidity with GetCertValidity and SetCertPathValidity in business application.
18. In **Result** class (.NET Client SDK), methods setResultMajor, getResultMajor, setResultMinor, getResultMinor, setResultMessage and getResultMessage are no longer in use and have been renamed with SetResultMajor, GetResultMajor, SetResultMinor, GetResultMinor, SetResultMessage and GetResultMessage. Replace all the calls of setResultMajor, getResultMajor, setResultMinor, getResultMinor, setResultMessage and getResultMessage with SetResultMajor, GetResultMajor, SetResultMinor, GetResultMinor, SetResultMessage and GetResultMessage in business application.
19. In **IndividualReport** class (.NET Client SDK), methods GetSignatureProducitonPlaceCity, GetSignatureProducitonPlaceCountryName, GetSignatureProducitonPlacePostalCode and GetSignatureProducitonPlaceStateOrProvice are no longer in use and have been renamed with GetSignatureProductionPlaceCity, GetSignatureProductionPlaceCountryName, GetSignatureProductionPlacePostalCode and GetSignatureProductionPlaceStateOrProvice. Replace all the calls of GetSignatureProducitonPlaceCity, GetSignatureProducitonPlaceCountryName, GetSignatureProducitonPlacePostalCode and GetSignatureProducitonPlaceStateOrProvice with GetSignatureProductionPlaceCity, GetSignatureProductionPlaceCountryName, GetSignatureProductionPlacePostalCode and GetSignatureProductionPlaceStateOrProvice in business application.
20. In **IndividualReport** class (Java Client SDK), methods getSignatureProducitonPlaceCity, getSignatureProducitonPlaceCountryName, getSignatureProducitonPlacePostalCode and getSignatureProducitonPlaceStateOrProvice are no longer in use and have been renamed with getSignatureProductionPlaceCity, getSignatureProductionPlaceCountryName, getSignatureProductionPlacePostalCode and getSignatureProductionPlaceStateOrProvice. Replace all the calls of getSignatureProducitonPlaceCity, getSignatureProducitonPlaceCountryName, getSignatureProducitonPlacePostalCode and getSignatureProducitonPlaceStateOrProvice with

getSignatureProductionPlaceCity, getSignatureProductionPlaceCountryName,
getSignatureProductionPlacePostalCode and getSignatureProductionPlaceStateOrProvince in
business application.

21. In **CertificateValidity** class (.NET Client SDK), method GetCrISignatureAlgorithmSutability is no longer in use and has been renamed with GetCrISignatureAlgorithmSuitability. Replace all the calls of GetCrISignatureAlgorithmSutability with GetCrISignatureAlgorithmSuitability in business application.
22. In **CertificateValidity** class (.NET Client SDK), method GetOcspSignatureAlgorithmSutability is no longer in use and has been renamed with GetOcspSignatureAlgorithmSuitability. Replace all the calls of GetOcspSignatureAlgorithmSutability with GetOcspSignatureAlgorithmSuitability in business application.
23. In **CertificateValidity** class (Java Client SDK), method getCrISignatureAlgorithmSutability is no longer in use and has been renamed with getCrISignatureAlgorithmSuitability. Replace all the calls of getCrISignatureAlgorithmSutability with getCrISignatureAlgorithmSuitability in business application.
24. In **CertificateValidity** class (Java Client SDK), method getOcspSignatureAlgorithmSutability is no longer in use and has been renamed with getOcspSignatureAlgorithmSuitability. Replace all the calls of getOcspSignatureAlgorithmSutability with getOcspSignatureAlgorithmSuitability in business application.
25. In **ScvpResponse** class (Java Client SDK), method getSignerCertChain has been removed. The method getSigningCertificates of the parent class should be used in its place.
26. In **ScvpResponse** class (.NET Client SDK), method GetSignerCertChain has been removed. The method GetSigningCertificates of the parent class should be used in its place.
27. You should recompile your project by removing all jar files prefixed with **asc_*** and **adss_*** from your project and include the **adss_client_api.jar** file only.

Contact Details

For Commercial Sales: +44 (0) 1256 895416, sales@ascertia.com
For Technical Support: support@ascertia.com